



IT IS THE RESPONSIBILITY OF THE KERB DESIGNER TO ENSURE THE KERB WILL BE STRUCTURALLY ADEQUATE TO HOLD THE ROOFLIGHT. KERBS SHOWN ON THESE DRAWINGS ARE FOR ILLUSTRATION PURPOSES ONLY.

The manufacturer would advise an installation with a minimum pitch of 5° for rooflight units to minimize water pooling. Whilst the product can be installed flat without detriment to the warrantee, the manufacturer cannot be held responsible for any excessive pooling of water to the surface of the rooflight, post installation, if installed without an adequate fall. Larger units may require a greater fall. The final decision on amount of fall required must be made by the client and relayed to the installer.

THIS DRAWING MUST NOT BE COPIED OR PASSED TO A THIRD PARTY WITHOUT WRITTEN CONSENT FROM THE MANUFACTURER.

CHECKED	D.PUGH
DATE	XX-XX-202X
DRAWN	R.P.
DATE	XX-XX-202X

TOLERANCE UNLESS OTHERWISE STATED	±5
DIMENSIONS IN	MM
SCALE	1:2 & 1:4 @ A1

MATERIAL	ALUMINIUM + GLASS
FINISH	MARINE GRADE POLYESTER POWDER COAT OPTIONS: RAL 7016 ANTHRACITE GREY, RAL 9005 BLACK, RAL 9010 WHITE. 30% GLOSS

REV	AMENDMENTS	SIGNED	CHECKED	DATE

Roofglaze Rooflights Ltd,  
11 Howard Road, Eaton Socon,  
St Neots, Cambs, PE19 8ET  
Telephone 01480 474797

TITLE: **SKYWAY FIXED**  
**33mm WALK**

DRAWING N°.	REV
RGR-WO-20-413	
30 TRIPLE GLAZED ON FLATGLASS	SIZE A1

**ROOFGLAZE**

Lighting  
by nature™

